

CONTINENTAL TRAKTORIN VYÖRENKAAT/kpl

ContiContract Ac 85

320/85R24 **353**
340/85R24 **411**
380/85R24 **473**
420/85R24 **585**

Ac 70

380/70R24 **455**
420/70R24 **545**
480/70R24 **700**

Ac 65

440/65R24 **548**
480/65R24 **620**
540/65R24 **790**

280/85R28 **371**
320/85R28 **380**
340/85R28 **455**
380/85R28 **505**
420/85R28 **620**

380/70R28 **565**
420/70R28 **655**
480/70R28 **785**

440/65R28 **615**
480/65R28 **685**
540/65R28 **845**
600/65R28 **1030**

380/85R30 **580**
420/85R30 **667**
460/85R30 **865**
320/85R32 **455**

420/70R30 **675**
480/70R30 **805**

540/65R30 **985**
600/65R30 **1107**
800/65R32 **2700**
900/60R32 **3925**

420/85R34 **725**
460/85R34 **885**

480/70R34 **875**
520/70R34 **1100**

540/65R34 **1055**
600/65R34 **1255**

340/85R38 **605**
420/85R38 **785**
460/85R38 **945**
520/85R38 **1295**

480/70R38 **900**
520/70R38 **1165**
580/70R38 **1580**
710/70R38 **2870**

540/65R38 **1165**
600/65R38 **1385**
650/65R38 **1785**

520/85R42 **1665**

650/65R42 **2530**

Hintoihin lisätään kulloinkin voimassa oleva kierrätysmaksu.



LÄNSIMAISET TRAKTORIN RENKAAT

Ristkudosrenkaat/kpl

| | | | |
|---------|-------|---------|-------|
| 11,2x24 | 8 pr | Agri 19 | 181,- |
| 12,4x24 | ” | “ | 210,- |
| 12,4x24 | 12 pr | “ | 252,- |
| 14,9x24 | 8 pr | “ | 271,- |
| 11,2x28 | “ | “ | 200,- |
| 12,4x28 | “ | “ | 224,- |
| 16,9x28 | 12 pr | Agri 13 | 405,- |
| 16,9x30 | 14 pr | “ | 420,- |
| 12,4x32 | 6 pr | “ | 245,- |
| 16,9x34 | 8 pr | Agri 10 | 430,- |
| 12,4x36 | 6 pr | Agri 13 | 301,- |
| 13,6x36 | 6 pr | “ | 312,- |

Vyörenkaat/kpl

| | |
|---------|--------|
| 11,2R24 | 230,- |
| 12,4R24 | 265,- |
| 13,6R24 | 292,- |
| 14,9R24 | 341,- |
| 16,9R24 | 429,- |
| 11,2R28 | 253,- |
| 13,6R28 | 341,- |
| 14,9R28 | 370,- |
| 16,9R28 | 452,- |
| 16,9R30 | 510,- |
| 16,9R34 | 553,- |
| 18,4R34 | 633,- |
| 16,9R38 | 632,- |
| 18,4R38 | 710,- |
| 20,8R38 | 890,- |
| 20,8R42 | 1148,- |



Radial-70

Radial-S

AS-Agri

AS-Impl

AW-Impl

AS-Front

VOLTYRE/DNEPROSHINA/BELTSHINA

Traktorin renkaat/kpl

| | | | |
|-----------|-------------|-----------------------|-------------|
| 360/70R24 | 315 | 13,6R38 | 375 |
| 380/70R24 | 330 | 15,5R38 | 388 |
| 14,9R24 | 378 | 16,9R38 | 575 |
| 21,3R24 | 650 | 18,4R38 | 625 |
| | | 710/70R38 | 1500 |
| 18,4R26 | 590 | 620/70R42 | 1375 |
| 23,1R26 | 915 | | |
| 28,1R26 | 987 | Eturenkaat/kpl | |
| 320/85R28 | 288 | 7.50-16 | 75 |
| 380/85R28 | 365 | 9.00-16 | 115 |
| 420/85R28 | 425 | 12.00-16 | 165 |
| | | 16,5/70-18 | 325 |
| 16,9R30 | 485 | 7.50-20 | 115 |
| 18,4R30 | 550 | 8,3x20 | 131 |
| 30,5R32 | 1438 | 11,2R20 | 178 |
| | | 22.0/70-20 | 452 |
| 16,9R34 | 556 | | |
| 18,4R34 | 615 | | |

Kuorma-auton renkaat/kpl

| | |
|----------|------------|
| 6,50-20 | 140 |
| 7,50-20 | 165 |
| 8,25R20 | 195 |
| 9,00-20 | 220 |
| 10,00R20 | 240 |
| 11,00R20 | 250 |
| 12,00R20 | 280 |

Perävaunun renkaat/kpl

| | |
|----------------|------------|
| 500/60-22,5/12 | 556 |
| 600/50R22,5 | 615 |
| 700/40R22,5 | 620 |



TRAKTORIN ETURENKAAT/kpl

| | | |
|----------|-----------------|-----|
| 5.00-16 | BKT | 62 |
| 5.50-16 | RICHSTAR | 60 |
| 6.00-16 | FATE/RICHSTAR | 62 |
| 6.50-16 | RICHSTAR | 72 |
| 7.50-16 | RICHSTAR | 88 |
| 9.00-16 | REKORD/RICHSTAR | 148 |
| 10.00-16 | OHERO/RICHSTAR | 158 |
| 11.00-16 | OHERO | 188 |
| 7.50-18 | BKT/FATE | 96 |
| 4.00-19 | BKT/RICHSTAR | 52 |
| 6.00-19 | REKORD/RICHSTAR | 67 |
| 7,50-20 | RICHSTAR | 85 |

PERÄVAUNUN**RENGAS/kpl****PYÖRÄ/kpl**

| | | | |
|-----------------|------------|------------|------------|
| 10.0/75x15.3/10 | TVS | 90 | 175 |
| 11.5/80x15.3/10 | ” | 145 | 215 |
| 14,0/65x16 | ” | 185 | 260 |
| 400/60x15,5 | “ | 185 | 260 |
| 19.0/45x17 | ” | 240 | 400 |
| 500/50x17 | “ | 285 | 445 |
| 10.5/80x18 | ” | 185 | 360 |
| 12.5/80x18 | ” | 210 | 385 |

SISÄRENKAAT/kpl

| | | | | |
|-------------------|---------|-----------|---------|------------|
| 11.2-24 35 | 11,2-28 | 47 | 16.9-34 | 73 |
| 12.4-24 35 | 12.4-28 | 48 | 18.4-34 | 80 |
| 13.6-24 38 | 13.6-28 | 55 | 12.4-36 | 55 |
| 14.9-24 50 | 14.9-28 | 58 | 13.6-36 | 55 |
| 16.9-24 62 | 16.9-28 | 72 | | |
| 14.9-26 62 | | | 13.6-38 | 55 |
| 16.9-26 78 | 16.9-30 | 68 | 14.9-38 | 55 |
| 18.4-26 82 | 18.4-30 | 75 | 16.9-38 | 83 |
| 12.4-32 55 | 18.4-38 | 92 | 20.8-38 | 120 |
| | | | 20.8-42 | 145 |

LEVIKEPYÖRÄSARJAT/pari

(sarja sisältää: kiinnitystarvikkeet, 2 kpl renkaita, 2 kpl vannekehii, 2 kpl välivanteita)

| CONTINENTAL | TARJOUS | APV-lisä netto |
|--------------------|----------------|---------------------------|
| 11,2R24 | | 150 |
| 12,4R24 | 1335 | 150 |
| 13,6R24 | 1460 | 150 |
| 14,9R24 | 1585 | 150 |
| 16,9R24 | 1840 | 150 |
| 11,2R28 | 1380 | 180 |
| 12,4R28 | 1400 | 180 |
| 13,6R28 | 1550 | 180 |
| 14,9R28 | 1650 | 180 |
| 16,9R28 | 1940 | 180 |
| 14,9R30 | 1860 | 200 |
| 16,9R30 | 2045 | 200 |
| 18,4R30 | 2440 | 200 |
| 16,9R34 | 2265 | 200 |
| 18,4R34 | 2585 | 200 |
| 13,6R36 | 1770 | 200 |
| 13,6R38 | 1955 | 200 |
| 16,9R38 | 2310 | 180 |
| 18,4R38 | 2630 | 180 |
| 20,8R38 | 3535 | 200 |
| 20,8R42 | 4670 | 290 |
| 480/65R28 | 2070 | 180 |
| 540/65R28 | 2390 | 180 |
| 540/65R30 | 2680 | 200 |
| 600/65R38 | 3715 | 180 |
| 650/65R38 | 4555 | 200 |
| 650/65R42 | 6450 | 290 |
| 710/70R38 | 7140 | 200 |

ALLIANCE RIVINVILJELYPYÖRÄT/pari

| | |
|---------|-------------|
| 11,2R32 | 1875 |
| 12,4R32 | 2235 |
| 11,2R36 | 2230 |
| 11,2R48 | 2615 |
| 12,4R46 | 2735 |
| 13,6R46 | 2950 |
| 13,6R48 | 3060 |

VANTEET KIINTEÄLLÄ KESKIÖLLÄ/kpl

(perävaunut, työkoneet, traktorit)

| | | | | | |
|-----------|------------|---------|------------|-------|-------------|
| 10x15 | 140 | 10x24 | 315 | 27x32 | 760 |
| 9x15,3X) | 62 | 12x24 | 325 | 36x32 | 1298 |
| 9x15,3 | 140 | 15x24 | 340 | 15x34 | 630 |
| 13x15,5X) | 105 | 12x25 | 495 | 16x34 | 650 |
| 13x15,5 | 140 | 14x25 | 540 | 18x34 | 725 |
| 16x15,5X) | 240 | 20x26 | 495 | 20x34 | 850 |
| 11x16X) | 105 | 24x26 | 425 | 15x38 | 785 |
| 8,25x16,5 | 175 | 25x26 | 595 | 18x38 | 880 |
| 9,75x16,5 | 185 | 20x26,5 | 435 | 20x38 | 950 |
| 13x17 | 185 | 24x26,5 | 535 | 23x38 | 1150 |
| 16x17X) | 160 | 28x26,5 | 635 | 25x38 | 1215 |
| 16x17 | 205 | 10x28 | 365 | 18x42 | 1050 |
| 11x18 | 160 | 12x28 | 375 | 20x42 | 1100 |
| 13x18 | 185 | 15x28 | 380 | 23x42 | 1270 |
| 11x20 | 165 | 16x28 | 385 | 27x42 | 1630 |
| 14x20 | 195 | 18x28 | 410 | | |
| 16x20 | 210 | 20x28 | 450 | | |
| 16x22,5 | 297 | 15x30 | 475 | | |
| 20x22,5 | 325 | 16x30 | 510 | | |
| 24x22,5 | 410 | 20x30 | 595 | | |

X) = Perävaunun vanne 161/205/6

TERÄSKAULUSVANTEET SÄÄDETTÄVÄLLÄ KESKIÖLLÄ /kpl

| | | | | | |
|-------|------------|-------|------------|-------|------------|
| 10x24 | 455 | 15x34 | 670 | 8x44 | 685 |
| 12x24 | 465 | 8x36 | 625 | 10x44 | 715 |
| 15x24 | 520 | 10x36 | 635 | 10x46 | 735 |
| 8x28 | 535 | 12x38 | 725 | 8x48 | 710 |
| 10x28 | 550 | 15x38 | 695 | 10x48 | 745 |
| 12x28 | 555 | 18x38 | 770 | 12x48 | 775 |
| 15x28 | 596 | 20x38 | 795 | | |
| 18x28 | 610 | 8x42 | 655 | | |
| 15x30 | 595 | 18x42 | 980 | | |
| 8x32 | 545 | | | | |
| 10x32 | 545 | | | | |

VANNEKEHÄT/kpl

KIINNITYSKORVAKKEIN

| | Kiinnitys | |
|-------|-----------|------------|
| 10x24 | 514-6-47 | 265 |
| 12x24 | 514-6-47 | 278 |
| 15x24 | 514-6-47 | 310 |
| 10x28 | 616-6-47 | 265 |
| 12x28 | 616-6-47 | 275 |
| 15x28 | 616-6-47 | 305 |
| 15x30 | 616-8-47 | 315 |
| 15x34 | 717-8-47 | 365 |
| 15x34 | 720-8-90 | 410 |
| 15x34 | 745-8-90 | 410 |
| 15x34 | 770-8-90 | 410 |
| 12x38 | 819-8-47 | 410 |
| 15x38 | 795-8-90 | 445 |
| 15x38 | 820-8-90 | 445 |
| 15x38 | 850-8-90 | 425 |
| 18x38 | 819-8-90 | 530 |

ALKUPERÄISET GKN/NAGBÖL TERÄSKAULUS

| | Kiinnitys | |
|-------|-----------|------------|
| 10x24 | 505/60 PP | 265 |
| 12x24 | 505/60 PP | 278 |
| 15x24 | 505/60 PP | 335 |
| 10x28 | 606/60 PP | 335 |
| 12x28 | 606/60 PP | 300 |
| 15x28 | 606/60 PP | 340 |
| 15x28 | 606/8 TV | 510 |
| 18x28 | 606/60 PP | 415 |
| 18x28 | 606/8 TV | 545 |
| 15x30 | 606/60 PP | 400 |
| 15x30 | 606/8 TV | 510 |
| 15x34 | 685/80 PP | 435 |
| 12x38 | 787/80 PP | 465 |
| 15x38 | 787/80 PP | 395 |
| 15x38 | 787/8 TV | 425 |
| 18x38 | 787/80 PP | 435 |
| 18x38 | 787/8 TV | 515 |
| 23x38 | 787/8 TV | 865 |
| 18x42 | 787/80 PP | 795 |
| 18x42 | 787/8 TV | 875 |

RIVIVILJELYPYÖRIEN VANNEKEHÄT/kpl

| | |
|-------|------------|
| 8x28 | 385 |
| 8x32 | 400 |
| 8x36 | 380 |
| 8x42 | 430 |
| 10x42 | 510 |
| 8x44 | 445 |
| 10x44 | 510 |
| 10x46 | 520 |
| 8x48 | 495 |
| 10x48 | 520 |
| 12x48 | 540 |

Vannekehät voidaan asentaa myös tubelessasennuksena.

KESKIÖLEVYTT korvakkeellisiin kehiin/kpl
Parijakokiinnitys:

| | Kiinnitysmitat | |
|----------------|-------------------------|------------|
| 24'' | 221/275/8/21s/514/96 | 192 |
| | 109/ -/ -/ -/514/96 | 184 |
| 28/30'' | 221/275/8/20s/584/150 | 236 |
| | 290/325/6/18k/616/96 | 236 |
| | 290/330/8/18s/616/96 | 236 |
| | 152/203/8/19k/616/96 | 236 |
| | 109/152/8/21s/616/96 | 236 |
| | 109/152/8/19k/616/96 | 236 |
| | 109/ - / - / - /616/96 | 222 |
| 34'' | 152/203/8/19k/720/102 | 297 |
| | 140/203/8/21s//720/102 | 297 |
| 36/38'' | 152/203/20s/787/204 | 352 |
| | 152/203/8/19k/820/104 | 360 |
| | 140/203/8/21s/820/104 | 360 |
| | 109/ - / - / - /820/104 | 352 |

KESKIÖLEVYTT teräskauluskehiin/kpl

Parijakokiinnitys:

| | Kiinnitysmitat | |
|----------------|------------------------|------------|
| 24'' | 109/ -/ -/ -/504/6 | 168 |
| | 221/275/8/21s/504/60 | 176 |
| | 290/330/8/17s/504/60 | 176 |
| 28/30'' | 109/ - / - / - /606/60 | 217 |
| | 221/275/8/21s/606/60 | 222 |
| | 281/335/10/23s/606/60 | 222 |
| | 290/330/8/17s/606/60 | 222 |
| 34'' | 109/ -/ -/ -/685/80 | 296 |
| | 221/275/8/24s/685/80 | 300 |
| | 152/203/8/20s/685/80 | 300 |
| | 140/203/8/21s/685/80 | 300 |
| 38/42'' | 109/ -/ -/ -/787/8 | |
| | 221/275/8/24s/787/80 | 336 |
| | 152/203/8/20s/787/80 | 336 |
| | 140/203/8/20s/787/80 | 336 |

Tasavälikiinnitys:

| | Kiinnitysmitat | |
|----------------|-----------------------|------------|
| 24'' | 221/275/8/21k/514/6 | 188 |
| | 221/275/8/21s/514/6 | 188 |
| | 109/ -/ -/ -/514/96 | 163 |
| 28/30'' | 109/ -/ -/ -/616/6 | 232 |
| 32/34'' | 140/203/8/32r/717/8 | 284 |
| | 109/ -/ -/ -/717/8 | 270 |
| 34'' | 152/203/8/19s/736/8 | 313 |
| | 109/ -/ -/ -/736/8 | 300 |
| 38'' | 109/ -/ -/ -/819/8 | 332 |

Tasavälikiinnitys:

| | Kiinnitysmitat | |
|----------------|--------------------------|------------|
| 28/30'' | 221/275/8/21s/606/8 | 344 |
| | 281/335/10/23s/606/8 | 344 |
| | 281/335/10/23s/606/12 | 424 |
| | 362/405/8/17s/606/12 | 424 |
| | 221/275/8/24s/787/8 | 500 |
| 38/42'' | 281/335/10/23s/787/16 | 600 |
| | 1. 2. 3. 4. 5. 6. | |
| 313 | 1. Keskireikä | |
| | 2. Reikäpiiri | |
| | 3. Pulttimäärä | |
| | 4. Pultin reikä | |
| | 5. Reikäpiiri | |
| | 6. Kiinnitysmäärä | |

LEVIKEPYÖRIEN VÄLIVANTEET/kpl

Halkaisija/Leveys

| | | |
|-----|--------|------------|
| 15" | 200 mm | 40 |
| 16" | 200 mm | 40 |
| 18" | 200 mm | 40 |
| 20" | 200 mm | 55 |
| 24" | 200 mm | 65 |
| 24" | 250 mm | 70 |
| 26" | 200 mm | 65 |
| 28" | 200 mm | 65 |
| 28" | 250 mm | 70 |
| 30" | 250 mm | 75 |
| 32" | 200 mm | 70 |
| 34" | 250 mm | 75 |
| 34" | 300 mm | 80 |
| 36" | 200 mm | 70 |
| 38" | 250 mm | 75 |
| 38" | 300 mm | 80 |
| 42" | 300 mm | 105 |

Halkaisija/Leveys

| | | |
|--------|--------|------------|
| 24/28" | 200 mm | 120 |
| 34/38" | 220 mm | 125 |
| 34/38" | 300 mm | 145 |
| 38/42" | 350 mm | 175 |
| 38/44" | 220 mm | 145 |

KIINNITYSKETJUT JA TARVIKKEET:

| | |
|----------------------------|------------|
| U-KIINNIKE | 5 |
| U-KIINNIKE+TAPPI JA SOKKA | 6 |
| KIINNITYSKETJU TÄYDELLINEN | 15 |
| KIINNITYSPULTTI lyhyt | 6 |
| KIINNITYSPULTTI pitkä | 6,5 |

TERÄSKAULUSPULTTISARJA + SÄÄTÖPALAT (8 kpl) = 65,-/pyörä

TÄYDELLISET LEVIKEVANTEET/pari

Korvake/Kisko

| | |
|-------|----------------|
| 10x24 | 630/730 |
| 12x24 | 640/740 |
| 15x24 | 670/770 |
| 10x28 | 640/740 |
| 12x28 | 640/740 |
| 15x28 | 700/800 |

Korvake/Kisko

| | |
|-------|----------------|
| 15x30 | 710/810 |
| 15x34 | 815/915 |
| 12x36 | 730/830 |
| 12x38 | 745/845 |

Korvake/Kisko

| | |
|-------|------------------|
| 15x38 | 740/840 |
| 18x38 | 945/1045 |
| 23x38 | 1400/1520 |
| 18x42 | 1340/1460 |

Kun levikevanne tulee erikokoisen rinnalle + 100,-/pari.

Vanteet voidaan asentaa myös tubelessasennuksena.

NAVAT/kpl

| Tyyppi | | Kantavuus | | Mitoitus | |
|---------------|--------|------------------|----|--------------------------|------------|
| FL 25/4 | 354022 | 400 | kg | 59/100/4/M12/35/233 | 57 |
| LK35/5 | 77143 | 850 | | 94/140/5/M12/40/204 | 71 |
| LK35/5 | 70391 | 850 | | 80/115/5M12/40/185 | 71 |
| FL35/5 | 405104 | 1000 | | 94/140/5/M12/40/185 | 71 |
| FL35/5 | 455109 | 1000 | | 101/140/5/M12/45/215 | 71 |
| FL35/5 | 505213 | 1350 | | 94/140/5/M16/50/175 | 76 |
| FL40/5 | 505174 | 1350 | | 101/140/5/M14/50/210 | 77 |
| FL55/6 | 606096 | 2200 | | 160/205/6/M18/60/350 | 118 |
| FL60/6 | 706153 | 3100 | | 160/205/6/M18/70/350 | 130 |
| FL65/6 | 706159 | 3400 | | 160/205/6/M18/NK70/360 | 130 |
| FL65/6 | 806089 | 3750 | | 160/205/6/M18/80/420 | 154 |
| FL/75/8 | 808077 | 4500 | | 220/275/8/M20/NK80/440 | 215 |
| FL75/8 | 908066 | 5000 | | 220/275/8/M20/90/450 | 223 |
| FL75/8 | 908072 | 5000 | | 220/275/8/M20/NK90/450 | 223 |
| FL85/10 | 100020 | 6500 | | 280/335/10/M22/100/550 | 300 |
| FL80/10 | 100024 | 6500 | | 280/335/10/M22/NK100/620 | 327 |

Jarrulliset navat (yhdistetty mekaaninen/hydraulinen jarru)

| | | | | | |
|----------|---------|------|--|--------------------------|------------|
| FB60/6 | 701019 | 3100 | | 160/205/6/M18/70/350 | 400 |
| FB65/6 | 701024 | 3400 | | 160/205/6/M18/NK70/360 | 412 |
| FB65/6 | 8010151 | 3750 | | 160/205/6/M18/80/420 | 420 |
| FB75/8 | 801017 | 4500 | | 220/275/8/M20/NK80/440 | 530 |
| FB75/8 | 90H004 | 5000 | | 220/275/8/M20/90/450 | 582 |
| FB75/8 | 90H009 | 5000 | | 220/275/8/M20/NK90/450 | 622 |
| FB75/10# | 10L045 | 6500 | | 280/335/10/M22/NK100/620 | 681 |
| | | | | 1. 2. 3. 4. 5. 6. | |

#=ulkupuolinen hydraulinen jarrusylinteri sisältyy.

1. Napahalkaisija
2. Reikäpiiri
3. Pulttimäärä
4. Pulttimäärä
5. Akselin halkaisija, NK=nelikulma
6. Mitta levytyörän kiinnityspinnasta akselin päähän.
- 7.

Kaikki hinnat sisältävät arvonlisäveron 23 %.

